



17th Annual On-Property Ram Sale List

Tuesday 15th September 2015

Inspections from 10am - Auction at 1pm

Offering 157 quality selected poll and 13 horned merino rams

Private treaty rams available from after the sale

GullenGamble 2015 Sale Ram Averages

MIC: 18.4

YCFW: +22.0

YWT: +7.1

DP+: 148

Industry Trait Leaders – top 10% of breed

MEMO OF SIRES:

- ◆ GG120018 x L080445
- ◆ GG 120115 x L080445
- ◆ GG 110428 x L080445
- ◆ GG 120186 x L 080445
- ◆ GG 120400 x L 080445
- ◆ GG 121070 x L 080445
- ◆ L 080445 x L 060004 (Purchased in 2010)
- ◆ Kamora Park 070304 (AI)
- ◆ WP 100904 x L 070033 (AI)
- ◆ WP 121269 (Purchased in 2013)
- ◆ WP 120910 (Purchased in 2013)
- ◆ S WP121269 } Joined in syd
- ◆ S WP120910 }

SheepGenetics MerinoSelect DataBase Averages @ 24/08/15

YCFW	YWT	YEMD	DP+
8.8	3.2	0.3	130

- *Top 5% YCFW 22.6 *Top 5% YWT 8.3
- *Top 10% YCFW 19.9 *Top 10% YWT 7.1
- *Top 10% DP+ 149
- *Top 10% YWT +7.1

- ◆ OJD VACCINATED
- ◆ BRUCELLOSIS ACCREDITED
- ◆ FOOTROT DECLARED FREE
- ◆ Autumn Drop –mid April/May 2014
- ◆ Spring Drop -Sept/Oct 2014 ('S' in front of number on ear tag)
- ◆ Horned rams marked with 'H' after tag no. on ram sale list
- ◆ Shorn: 1st April 2015
- ◆ Tested: 19th August 2015
- ◆ BW—Rams weighed: 21st August 2015

LOT NO	TAG NO.	SIRE	MIC	SD	CV	CF%	YCFW	YWT	YFAT	YEMD	DP+	BW-kg
1	432	GG110428	17.5	3.4	19.6	99.5	+21.5	+9.9	+0.4	-1.9	136	90
2	549	GG120018	18.1	3.2	17.8	100	+29.9	+10.3	-0.1	-1.6	149	91
3	488	GG110428	19.2	3.6	18.6	99	+22.1	+10.5	+0.1	-1.7	138	86
4	140	WP12010	19.2	3.1	16.1	99.8	+24.1	+7.1	+0.5	+0.1	149	84
5	270	L08445	15.1	2.7	17.9	100	+26.5	+7.9	-0.3	-1.0	152	88
6	365	GG120186	17.1	3.2	18.8	99.8	+18.6	+8.9	-0.2	+0.3	153	84
7	282	L080445	18.1	3.2	17.5	99.5	+20	+10.0	+0.2	-0.3	145	82
8	877	KP070304	18.0	3.7	20.4	99.5	+29.3	+4.9	0	-0.4	141	73
9	17	WP121269	18.9	2.7	14.4	99.5	+19.6	+7.5	+0.2	0	150	77
10	147	WP120910	18.1	3.8	21.1	98.8	+24.4	+5.5	+0.2	-0.4	150	78
11	658	GG121070	17.9	2.8	15.6	100	+23.6	+8.0	-0.2	-1.7	145	81
12	415	GG120186	18.2	3.0	16.5	100	+18.7	+6.9	+0.4	+0.9	146	74
13	883	KP070304	18.0	3.0	16.7	99.8	+30.8	+7.3	-0.3	+0.2	154	76
14	367	GG120186	17.7	2.9	16.5	99.2	+20.6	+6.0	+0.1	-0.1	146	75
15	879	KP080304	18.7	3.6	19.3	98.8	+27.4	+7.2	+0.1	+0.4	151	74
16	968	WP100904	20.4	3.6	17.5	99	+29.7	+8.0	-0.2	-0.	147	77
17	98	WP121269	20.4	3.6	17.6	99.5	+18.6	+5.5	+0.4	-0.2	144	78
18	28	WP121269	19.3	3.5	18.0	99.2	+25.3	+6.2	-0.3	-1.1	147	76
19	16	WP121269	1.0	3.6	18.8	99.2	+20.3	+5.4	-0.2	-0.8	144	79
20	831	GG120400	19.4	3.3	17.3	99.2	+17.3	+6.3	+1.0	+0.0	138	81
21	566	GG120018	20.2	3.2	16.0	99.5	+26.2	+10.3	-0.1	-0.9	146	83
22	441	GG11428	17.8	3.4	18.9	99.2	+21.8	+8.9	+0.8	-0.8	143	91
23	710	GG120115	16.4	2.8	16.8	99.8	+27	+9.6	-0.7	-1.8	149	89
24	289	L080445	17.6	2.5	14.0	100	+21.9	+7.7	+0.4	-1.7	140	77
25	557	GG120018	20.3	2.9	14.4	99.8	+24.5	+8.8	+0	-1.8	137	74
26	807	GG120400	20.2	3.9	19.3	99.2	+24.3	+4.0	+0.0	-0.9	133	76
27	536	GG120018	19.2	33	17.	99.5	+23.3	+8.8	-0.4	-2.2	130	76
28	542	GG120018	16.3	3.1	19.0	99.5	+24.5	+7.7	-0.4	-1.8	140	78
29	343	L080445	18.8	3.2	16.9	99.8	+21.2	+6.9	-0.3	-0.6	142	80
30	143	WP120920	16.4	2.6	16.1	99.8	+17.1	+6.5	+0.3	+0.0	149	76
31	588	GG120018	15.9	3.1	19.7	99.5	+22.0	+9.5	+1.0	+0.0	149	74
32	114	WP121269	19.3	3.1	16.3	99.8	+20.3	+5.4	-0.3	-0.5	143	77
33	564	GG120018	17.8	2.4	13.7	100	+24.8	+8.2	-0.1	-1.3	141	75
34	855	KP070304	17.9	2.7	15.1	99.5	+27.6	+6.4	+0.0	-0.2	141	71
35	342	L080445	16.5	2.7	6.1	99.5	+19.7	+8.5	+0.0	-0.3	150	78
36	63	WP121269	18.3	2.6	14.4	100	+16.1	+4.1	+0.8	-1.0	137	76
37	704	GG120400	18.9	3.4	18.2	99.8	+21.9	+6.8	+0.2	-0.4	148	79
38	293	L080445	17.6	3.0	17.1	99.8	+17.8	+7.9	+0.0	-0.5	147	79
39	894	KP070304	18.2	3.5	19.	99.8	+30.5	+7.9	-0.7	-1.0	149	80
40	546	GG120018	20.2	3.6	18.0	99.5	+31.9	+9.1	-0.5	-2.1	144	84
41	106	WP121269	18.7	2.9	15.4	99.5	+20.5	+6.4	+0.2	+0.5	150	79
42	654	GG121070	20.6	2.8	13.4	100						
43	579	GG120018	19.5	4.3	22.0	99.5	+29.2	+9.7	+0.0	-1.2	149	80
44	992	WP100904	16.6	2.5	14.8	100	+22.8	+10.4	-0.3	-0.4	158	90
45	729	GG120115	16.6	2.3	13.6	99.8	+19.0	+9.9	-0.1	-0.7	141	80
46	341	L080445	18.3	3.4	18.8	99.8	+22.1	+7.3	-0.8	-1.2	144	78
47	712	GG120115	17.0	2.9	16.9	100	+15.8	+6.0	+0.1	-0.8	136	76
48	552	GG120018	18.4	3.3	17.7	99.2	+19.9	+6.5	+0.1	-1.2	133	72
49	953	KP070304	19.1	2.8	14.4	99.5	+27.9	+5.7	+0.2	+0.4	147	70
50	3009		18.5	2.6	14.1	100	+20.1	+5.0	+0.1	-1.1	138	77
51	918	KP070304	18.0	3.	19.1	99.0	+32.5	+5.7	+0.0	-0.3	146	67
52	570	GG12008	19.8	35	17.6	99.2	+26.3	+7.0	-0.3	-2.2	137	77
53	642	GG121070					+23.2	+8.3	+0.6	-1.6	131	73
54	482	GG110428	20.7	29	14.2	99.5	+23.2	+8.3	+0.6	-1.6	131	73
55	865	KP070304	19.4	3.1	16.	100	+26.4	+5.8	+0.3	+0.5	147	72
56	587	GG120018	17.7	2.4	13.4	100	+16.3	+7.6	+0.1	-0.9	136	77
57	705	GG120115	19.	3.2	16.3	99.5	+20.3	+8.8	+0.6	-0.2	141	82
58	572	GG120018	19.8	3.6	18.0	99.5	+24.8	+8.1	-0.1	-1.3	144	81
59	459	GG110428	20.0	33	16.6	995	+28.0	+7.4	+0.1	-1.3	144	81
60	871	KP07004	19.5	3.2	6.4	99.5	+26.6	+7.2	+0.1	+0.0	138	74

LOT NO	TAG NO	SIRE	MIC	SD	CV	CF%	YCFW	YWT	YFAT	YEMD	DP+	BW-kg
61	685	GG120115	16.4	2.8	16.8	100	+21.8	+6.3	-0.2	-1.5	140	83
62	951	KP00304	19.3	3.0	15.6	99.2	+25.1	+7.3	-0.1	-0.4	137	83
63	499	GG110428	16.4	2.2	13.4	100	+19.2	+7.5	+0.8	-1.5	138	78
64	24	WP121269	18.5	3.6	19.5	99.5	+22.2	+6.5	-0.1	-0.2	152	77
65	401	GG120186	17.1	3.2	15.5	99.2	+15.7	+6.3	-0.5	-1.0	139	83
66	26	WP121269	18.7	3.1	16.6	99.2	+22.4	+4.6	-0.9	+1.6	140	83
67	1027 H	WP253	18.7	2.9	15.7	99.8	+22.4	+6.3	-0.3	+0.5	153	78
68	419 H	GG120186	19.4	3.6	18.6	99.5	+22.3	+7.9	+0.0	-0.1	146	78
69	507 H	GG110428	21.1	4.1	19.3	99.0	+23	+6.9	+0.2	-1.3	128	75
70	195	WP120910	19.2	3.0	15.6	99.8	+19.1	+3.5	+0.3	-0.5	133	68
71	485	GG110428	18.4	3.8	20.6	99.5	+22.6	+6.5	-0.1	-1.4	141	71
72	48	WP121269	17.8	2.8	15.8	99.8	+22.1	+3.8	-0.3	-1.6	139	80
73	461	GG110428	18.4	2.9	15.7	99.8	+25.7	+8.1	-0.4	-2.0	139	77
74	390	GG120186	17.7	2.7	15.3	99.8	+19.7	+8.4	-0.1	-0.1	150	75
75	862	KP070304	17.3	2.4	13.8	100	+31.4	+6.1	-0.5	-0.8	145	76
76	168	WP120910	18.3	3.1	17.1	99.8	+14.1	+5.7	+0.4	-0.1	138	74
77	609	GG121070	16.2	2.3	14	100	+20.9	+5.0	-0.0	-2.0	135	82
78	263	L040445	19.2	2.9	15	99.5	+24.6	+7.2	-0.3	-0.6	146	80
79	556	GG120018	17.1	2.7	15.6	100	+23.8	+9.6	+0.1	-0.2	153	82
80	370	GG120186	18.5	3.2	17.5	99.8	+18.8	+6.1	+0.2	+0.4	145	83
81	230	L080445	17.2	2.6	14.5	99.5	+20.3	+8.5	-0.2	-1.1	144	86
82	179	WP120910	18.9	3.5	16.7	99.2	+20.4	+6.2	+0.1	-0.7	138	82
83	580	GG120018	19.3	3.1	16.0	100	+19.8	+9.6	-0.1	-0.9	141	77
84	328	L080445	17.3	3.3	18.3	99.5	+20.3	+7.9	-0.2	-1.2	139	74
85	158	WP120910	17.1	2.6	15.5	99.8	+16.1	+5.4	+0.2	-0.4	141	73
86	957	KP070304	18.4	3.2	17.5	99.0	+25	+6.2	+0.7	+0.1	143	71
87	731	GG120115	18.4	3.6	19.3	99.8	+26.1	+8.3	+0.0	-1.2	142	74
88	257	L080445	18.6	2.6	14.0	100	+19.6	+7.1	-0.4	-1.1	136	79
89	141	WP120910	18.4	4.1	22.4	99.2	+20.2	+4.6	+0.4	-0.1	146	72
90	509	GG110428	18.9	4.1	22.4	99.8	+24.3	+7.3	-0.3	-1.9	137	75
91	633	GG121070	20.1	3.2	16.0	99.8	+20.1	+4.9	-0.3	-1.6	129	74
92	790	GG120400	20.6	3.6	17.4	98.8	+23.1	+5.2	+0.0	-0.9	140	74
93	797 H	GG120400	20.8	3.5	16.8	99.0	+20.2	+7.2	+1.2	+0.0	138	72
94	782 H	GG120400	17.5	2.5	14.6	100	+20.4	+7.5	+0.0	-1.0	141	80
95	747 H	GG120400	19.1	3.2	16.5	99.5	+20.2	+7.0	+0.1	-0.6	142	81
96	359 H	GG120186					+13.7	+5.4		-0.3		71
97	043	WP121269					+21.3	+5.9	-0.5	-0.8	146	69
98	496	GG110428	18.2	3.4	18.5	99.5	+19.9	+6.7	-0.1	-2.3	132	72
99	974	WP100904	18.6	3.6	19.1	99.8	+21.3	+6.3	-0.6	-2.1	139	79
100	695	GG12015	19.9	3.8	19.3	98.8	+22.7	+9.5	-0.3	+1.4	138	92
101	1026	GG110428	18.8	2.7	14.2	99.8	+19.9	+9.8	+0.2	-0.6	141	88
102	778	GG120400	18.6	3.0	16.2	99.5	+16.0	+5.2	+0.3	-0.8	135	79
103	163	WP120910	18.2	2.6	14.2	99.8	+17.5	+5.5	+0.9	+0.1	141	76
104	3073		18.3	3.0	16.4	99.5	+21	+6.5	-0.3	-0.7	149	75
105	014	WP121269	16.9	2.7	15.7	99.5	+16.6	+6.3	-0.1	-0.4	147	74
106	647	GG121070	17.2	3.2	18.6	99.5	+22.8	+6.5	-0.5	-1.9	139	71
107	686	GG120115	20.1	3.6	17.9	99.2	+26.8	+6.8	+0.4	-1.5	137	72
108	3098 H		17.9	3.7	20.9	99.8	+16.9	+4.9	+0.2	-0.8	132	75
109												
110	939	KP070304	18.2	2.5	14.0	99.8	+25.3	+5.6	-0.5	-0.6	138	70
111	993	WP100904	18.8	3.9	20.9	99.2	+25	+6.2	+0.0	-1.0	148	71
112	149	WP120910	17.9	3.6	20.2	99.0	+18.0	+5.8	+0.1	-0.5	144	72
113	719	GG120115	17.0	2.9	17.1	99.8	+21.1	+5	-0.5	-1.8	131	70
114	135	WP120910	19.2	2.7	14.2	100	+19.4	+5.8	+0.4	+0.2	144	69
115	276	L080445	19.1	3.8	20.1	99	+24.4	+5.9	-0.3	-0.6	142	73
116	3053 H		18.0	3.4	18.9	99.0						75
117	324	L080445	18.6	2.6	14.0	99.8						76
118	222	WP120910	17.3	2.7	15.4	100	+18.2	+6.6	+0.2	-0.1	145	76
119	486	GG110428	20.7	3.8	18.3	98.5	+23.1	+7.2	-0.3	-1.9	127	76
120	258	L080445	18.4	3.0	16.5	99.5	+21.0	+7.7	-0.3	-1.4	138	77
121	649	GG121070	16.9	2.6	15.3	99.2	+20.3	+6.5	+0.0	-1.5	141	80
122	352	L080445	17.9	2.7	15.2	99.2	+18.2	+7.4	-0.6	-1.6	139	77

LOT NO	TAG NO	SIRE	MIC	SD	CV	CF%	YCFW	YWT	YFAT	YEMD	DP+	BW-kg
123	076	WP121269	19.1	2.7	14.1	99.2	+18.9	+5.1	+0.2	-0.7	142	74
124	699	GG120115	18.9	3.3	17.3	99.2	+20.7	+7.7	-0.2	-1.4	137	71
125	095	WP121269	17.	24	13.9	99.8	+22.3	+4.3	-0.3	-1.1	141	71
126	256	L080445	17.6	2.8	16.1	100	+19.3	+7.0	-0.1	-1.0	138	69
127	269	L080445	18.6	3.5	18.8	99.2	+16.8	+7.4	-0.2	-0.3	139	68
128	025	WP121269	18.8	2.6	13.8	100	+18.7	+5.6	+0.0	-0.5	143	69
129	698	GG120115	18.8	3.2	17.0	99.2	+21.6	+6.9	-0.1	-1.1	140	70
130	172	WP120910	18.3	3.2	17.4	99.2	+18.8	+3.8	+0.3	-04	142	64
131	S1202		19.2	3.8	20.0	99.0						80
132	159	WP12910	21.5	3.8	17.6	98.5	+24.4	+2.5	+0.4	-0.1	138	67
133	819	GG120400	18.4	3.3	18.1	99.5	+24.0	+4.9	+0.4	+0.0	148	67
134	601	GG121070	19.2	3.3	17.3	99.8	+21.5	+5.4	-0.7	-2.2	130	72
135	211	WP10910	18.3	3.1	17.2	99.8	+25.0	+5.0	-0.3	+1.0	145	67
136	811 H	GG120400	19.7	3.0	15.0	100						68
137	325	L080445	19.2	3.5	18.2	99.2	+27.0	+8.2	-0.2	-1.0	146	71
138	858 H	KP070304	17.9	2.6	14.8	100	+25.0	+6.5	+0.2	+0.5	145	75
139	310	L080445	18.5	2.9	15.4	100	+24.2	+7.3	-0.1	-0.7	142	74
140	260	L080445	17.2	2.6	15.0	100	+16.9	+8.0	+0.1	-0.3	143	76
141	501 H	GG110428	19.0	2.9	15.1	99.5	+23.9	+7.9	+0.3	-1.8	137	68
142	916	KP070304	17.4	3.1	18.0	99.2	+25.7	+4.1	-0.4	-0.9	135	72
143	873	KP070304	17.7	2.7	15.3	99.8	+24.6	+5.3	+0.2	+0.0	141	67
144	1047	WP253	18.2	2.5	13.6	100	+14.1	+3.4	-0.9	-0.6	134	65
145	418	GG120186	18.0	2.7	15.0	99.8	+18.1	+8.8	+0.2	+0.5	145	67
146	041	WP121269	15.7	2.6	16.2	100	+17.9	+4.6	-0.3	-1.2	143	72
147	624	GG121070	18.0	3.3	18.	99.8	+19.0	+3.5	-0.1	-2.2	130	66
148	535	GG120018	18.2	2.4	13.4	99.8	+22.9	+6.1	-0.6	-2.3	134	67
149	196 H	WP120910	19.3	3.1	15.9	99.2	+21.5	+5.6	+0.3	+0.1	147	69
150	788	GG120400	16.9	3.2	18.8	99.5	+22.2	+4.4	-0.5	-1.8	133	666
151	193	WP12090	17.9	3.0	16.5	99.5	+19.3	+3.5	+0.2	-1.0	134	67
152	585	G120018	194	3.1	16.1	100	+24.9	+8.7	+0.1	-0.6	140	66
153	531	GG120018	18.6	3.2	17.5	99.8	+22.0	+7.8	-0.2	-1.	138	69
154	930	LP070304	17.7	2.9	16.1	100	+22.5	+5.9	-0.1	-0.6	140	70
155	1041	WP253	18.5	4.1	22.4	98.8	+19.3	+3.7	-0.2	+0.2	149	70
156	299	L080445	18.0	2.9	16.3	99.8	+16.3	+7.2	+0.0	-0.6	137	72
157	391	GG121086	16.4	2.8	16.8	100	+18.4	+5.7	+0.3	+0.7	152	71
158	295	L080445	16.7	2.7	16.1	100	+23.5	+6.4	+0.2	-0.8	144	72
159	248	L080445	19.8	3.3	16.7	99.5	+17.8	+6.8	+0.0	-0.9	139	76
160	3007		18.0	2.5	13.9	100	+21.0	+7.2	+0.2	-0.1	144	72
161	954	KP070304	19.0	2.8	14.7	100	+29.7	+6.1	-0.4	-0.7	139	66
162	055	WP121269	18.7	3.0	15.8	99.8	+24.1	+4.8	-0.2	-0.9	144	70
163	S1215		8.3	2.6	14.1	99.8						66
164	S1348		17.0	2.6	15.6	100						66
165	S1346		18.3	3.4	18.6	99.8						66
166	S1300		17.8	3.1	17.5	99.5						67
167	S1281		19.4	2.5	12.7	100						69
168	S1235		17.1	3.4	19.8	99.5						68
169	S1386		19.2	3.8	19.9	99.5						69
170	S1282		17.9	2.7	15.3	100						76

We look forward to seeing you on Tuesday 15th September. Sale starts at 1pm.

Mark and Kym Kerin

“GullenGamble”

Yeoval NSW 2868

P/Fax: 0268 464 252

M: 0427 464 252

[E: gullen@bordnet.com.au](mailto:gullen@bordnet.com.au)

www.gullengamblemerinos.com.au

We always welcome enquiries!

www.gullengamblemerinos.com.au